


Question 1

Consider a freely falling object that is released from rest. The table lists *possible* approximate distances traveled in each second. Which if these is correct?

Time	Case 1	Case 2	Case 3	Case 4
0 s \rightarrow 1 s	5 m	5 m	5 m	0 m
1 s \rightarrow 2 s	15 m	5 m	15 m	5 m
2 s \rightarrow 3 s	25 m	5 m	15 m	15 m

Question 2

A snowflake is released from rest and falls to the ground. There is significant air resistance. Photographs of the snowflake are taken at intervals spaced 1 s apart.




Which of the following are true during the illustrated period?

1. The snowflake falls with constant speed.
2. The snowflake falls with constant non-zero acceleration.
3. The snowflake initially falls with constant speed and then accelerates.
4. The snowflake initially accelerates and then reaches a constant speed.

Question 3

Two balls slide along horizontal surfaces. The positions of the balls are recorded at intervals spaced 1 s apart. These are illustrated in the diagram.




In the interval between 1 s and 5 s, which of the following is true?

1. The net force on each ball is zero.
2. The net force on ball A is the same as that on ball B but not zero.
3. The net force on ball A is smaller than that on ball B
4. The net force on ball A is larger than that on ball B

Question 4

A cart can slide back and forth along a frictionless track. A string is attached to the cart and a mass is suspended from this. The cart is given a brief initial push and starts moving left. The cart slows down and reverses direction, moving right.



Which of the following is true?

1. There is no force on the cart throughout the motion.
2. As the cart reverses its speed drops to zero and the force drops to zero.
3. As the cart reverses its speed drops to zero and the force never drops to zero.
4. There is always a force on the cart and so its speed is never zero.